

CRATHCO

PRODUCT CATALOG



Part of



Electrolux
Professional
Group

TABLE OF CONTENTS

CRATHCO BEVERAGE EQUIPMENT

HELPFUL INFORMATION

Classic Bubblers	4	Ordering Information	15
Classic Pro Bubblers	6	Planned Maintenance	16
Simplicity Bubblers	8		
I-PRO Frozen Dispensers	10		
Frosty Frozen Dispensers	12		
Barrel Freezers	13		

* Images and photographs in this document may vary slightly from the actual delivered product and are not meant to be exact representations of the same.
* Product specifications are subject to improvement or change.

BEVERAGE EQUIPMENT



COLD BEVERAGE DISPENSERS

CRATHCO

PREMIX Classic Bubblers®

Durable and Efficient

Keep a steady supply of cold drinks on hand with Crathco Classic Bubbler cold beverage dispensers. Stainless steel and super-strong, virtually unbreakable bowls and covers ensure long-lasting use, and are easy to maintain for a fast, simple cleanup. Crystal-clear bowls and covers showcase your colorful signature fruit juice, tea, and iced coffees and provide an eye-catching appearance - perfect for boosting impulse sales.

- Unique evaporator and high efficiency pump cools faster and more efficiently for quick start-up.
- Includes spray and agitation circulation options for fresh juices, coffees, or tea.
- Superior engineering allows full beverage cooling to the dispense point, and right down to the last drink.
- Bowls have easy-to-read measuring marks. Models with more than one bowl are separated to allow cleaning and flavor changes without total system shut-down.
- Temperature range from 35 - 41°F.
- R134A Refrigeration
- NEMA - 5-15 Plug





Standard Series



MODEL		DESCRIPTION	PRODUCT DIMENSIONS (h x w x d)
	SINGLE 5-GALLON BOWL MODELS	Stainless Steel Side Panels and Drip Tray D15-3; Base: (LV606860) Bowl: (LV600914)	1 bowl, Certified NSF / ANSI 20- safe for milk, 8.25" cup clearance.
	Planned Maintenance Kit Six Month Schedule LV0GM23J	Plastic Side Panels and Drip Tray D15-4; Base: (LV606862) Bowl: (LV600911)	
	DOUBLE 5-GALLON BOWL MODELS	Stainless Steel Side Panels and Drip Tray D25-3; Base: (LV606820) Bowl: (LV600907)	2 bowls, 8.25" cup clearance.
	Planned Maintenance Kit Six Month Schedule LV0GM23L	Plastic Side Panels and Drip Tray D25-4; Base: (LV606821) Bowl: (LV607011)	
	TRIPLE 5-GALLON BOWL MODELS	Stainless Steel Side Panels and Drip Tray D35-3; Base: (LV606823) Bowl: (LV600908)	3 bowls, 8.25" cup clearance.
	Planned Maintenance Kit Six Month Schedule LV0GM23R	Plastic Side Panels and Drip Tray D35-4; Base: (LV606825) Bowl: (LV607012)	

Mini Bowl Series



MODEL		DESCRIPTION	PRODUCT DIMENSIONS (h x w x d)
	MINI-TWIN® MODELS	Stainless Steel Side Panels and Drip Tray E29-3; Base: (LV606849) Bowl: (LV600909)	2 bowls, 8" cup clearance.
	Planned Maintenance Kit Six Month Schedule LV0GM23P	Plastic Side Panels and Drip Tray E29-4; Base: (LV606848) Bowl: (LV600912)	
	MINI-QUAD® MODELS	Stainless Steel Side Panels and Drip Tray E49-3; Base: (LV606829) Bowl: (LV600910)	4 bowls, 8" cup clearance.
	Planned Maintenance Kit Six Month Schedule LV0GM23S	Plastic Side Panels and Drip Tray E49-4; Base: (LV606833) Bowl: (LV600913)	

OPTIONS & ACCESSORIES

PRODUCT CODE	MODEL	DESCRIPTION
LV9R0200	COLD AND FROZEN CLEARLY CLEAN KIT	1 multi-purpose brush, 1 2-1/2 Gal Shaker Jug, Laminated Instruction Sheet, Stera-Sheen Lube Tube, Test Strips
LV9R0195	STERA-SHEEN	2 @ 4lb. Jars
LV0GM1LZ	Standard MCX Mag Drive Impeller (black)	Each
LV0GM3LY	Standard MCX Mag Drive Low foam Impeller	Each
LV0GM3FL	Non Contact Handle (Standard)	Each
LV0GM3FM	Cup Activated Handle	Each

PM KITS

PRODUCT CODE	ITEM	DESCRIPTION
LV0GM23J	Bubbler PM Kit - D15-3 Standard Single 5G Bowl	1 Kit
LV0GM23J	Bubbler PM Kit - D15-4 Standard Single 5G Bowl	1 Kit
LV0GM23L	Bubbler PM Kit - D25-3 Standard Double 5G Bowls	1 Kit
LV0GM23L	Bubbler PM Kit - D25-4 Standard Double 5G Bowls	1 Kit
LV0GM23R	Bubbler PM Kit - D35-3 Standard Triple 5G Bowls	1 Kit
LV0GM23R	Bubbler PM Kit - D35-4 Standard Triple 5G Bowls	1 Kit
LV0GM23P	Bubbler PM Kit - E29-3 Mini-Twin Bowl Series	1 Kit
LV0GM23P	Bubbler PM Kit - E29-4 Mini-Twin Bowl Series	1 Kit
LV0GM23S	Bubbler PM Kit - E49-3 Mini-Quad Bowl Series	1 Kit
LV0GM23S	Bubbler PM Kit - E49-4 Mini-Quad Bowl Series	1 Kit

PREMIX

Crathco® Classic Bubblers®

Crathco Clearly Clean Kit

Use fewer products and less water while saving cleaning time with the only manufacturer-recommended, NSF-approved cleaning system for your Crathco Bubblers, including Crathco Simplicity, Crathco Classic, and Crathco Classic Pro. You can clean your equipment easily without disassembly between regular required cleaning and sanitizing as detailed in the operator manual. Keep your bowls clean and clear to properly display your product.



2/4 lb. Stera-Sheen Green Label Jars (LV9R0195)

CLEARLY CLEAN KIT: (LV9R0200)

- ONE MULTI-PURPOSE BRUSH
- ONE 2-1/2 GAL. SHAKER JUG
- LAMINATED INSTRUCTION SHEET
- 4 OZ. STERA-SHEEN LUBE TUBE
- TEST STRIPS



COLD BEVERAGE DISPENSERS

CRATHCO

PREMIX

Classic Pro Bubblers®



Maximize Beverage Varieties

Designed for maximum flexibility, Classic Pro Bubblers feature 2.4- or 4.75-gallon tanks to meet your unique beverage dispensing needs. Build the system that's perfect for your needs with the new Classic Pro Bubbler. Increased bowl flexibility, streamlined engineering and more.

- Easy-Off Bowl Release System - for faster and easier assembly and disassembly
- Crathco Autofill Compatible - increased sales, reduced downtime, enhanced consistency
- User Friendly Design - enables machine to dispense product till the very last drop
- Appealing Cold Drink Dispenser - choose from two models equipped with 2 bowls or 4 bowls, 2.4-gallons each
- Easy Operation - simple set-up and use
- Versatile - suitable for cups up to 8 inch height
- Advanced Agitation System with Magnetic Submerged Impeller - with low foam impeller cover special for fresh juices, coffees, vitamin water or tea
- Precise Refrigerant: R134A on SR-2E-16, SR-4E-16, SR-15-16; R290 on SR-25-16, SR-25-16 and SR-35-16
- Durable - pre-mix dispenser with stainless steel base and clear plastic bowls
- Uniquely Designed - air intakes from the bottom and exhaust to back



Mini Twin Series

	MODEL	DESCRIPTION	PRODUCT DIMENSIONS (h x w x d)
	CLASSIC PRO (2) 2.4-GALLON BOWL MODELS Planned Maintenance Kit Six Month Schedule LVOGMLBH	(2) 2.4 gallon (9 L) Polycarbonate bowl SR-2E-16; Base: (LV606142) Bowl: (LV606144)	2 bowls, 8" cup clearance. 25.4" x 10.6" x 16.9" (65 cm x 27 cm x 43 cm)
	CLASSIC PRO (4) 2.4-GALLON BOWL MODELS Planned Maintenance Kit Six Month Schedule LVOGMLBI	(4) 2.4 gallon (18 L) Polycarbonate bowl SR-4E-16; Base: (LV606143) Bowl: (LV606145)	4 bowls, 8" cup clearance. 25.4" x 20.6" x 16.9" (65 cm x 52 cm x 43 cm)

Single Standard Series

	MODEL	DESCRIPTION	PRODUCT DIMENSIONS (h x w x d)
	(1) 4.75-GALLON BOWL MODELS Planned Maintenance Kit Six Month Schedule LVOGMLBJ	(1) 4.75 gallon (18 L) bowl Polycarbonate bowl SR-15-16; Base: (LV606335) Bowl: (LV606283)	1 bowl, 8" cup clearance. 26.4" x 8.9" x 17.4" (67 cm x 23 cm x 44 cm)
	(2) 4.75-GALLON BOWLS MODELS Planned Maintenance Kit Six Month Schedule LVOGMLBK	(2) 4.75 gallon (18 L) bowls Polycarbonate bowl SR-25-16; Base: (LV606220) Bowl: (LV606307)	2 bowls, 8" cup clearance. 26.4" x 17.8" x 17.4" (67 cm x 45 cm x 44 cm)
	(3) 4.75-GALLON BOWLS MODELS Planned Maintenance Kit Six Month Schedule LVOGMLBL	(3) 4.75 gallon (18 L) bowls Polycarbonate bowl SR-35-16; Base: (LV606221) Bowl: (LV606308)	2 bowls, 8" cup clearance. 26.4" x 26" x 17.4" (67 cm x 66 cm x 44 cm)

OPTIONS & ACCESSORIES

PRODUCT CODE	ITEM	DESCRIPTION
LV0GMJZZ	Kit, Spray-Classic Pro 9L, Bowl	1 Kit, (2 insulated lids, 2 Impeller Covers, 2 Spray Tubes) Compatible w/ Classic Pro Models SR-2E-16 and SR-4E-16
LV0GMK7I	Kit, Spray-Classic Pro 18L, Bowl	1 Kit, (1 insulated lid, 1 Impeller Cover, 1 Spray Tube) Compatible w/ Classic Pro Models SR-15-16, SR-25-16 and SR-35-16
LV9R0200	COLD AND FROZEN CLEARLY CLEAN KIT	1 multi-purpose brush, 1, 2-1/2 Gal Shaker Jug, Laminated Instruction Sheet, Stera-Sheen Lube Tube, Test Strips
LV9R0195	STERA-SHEEN	2 @ 4lb Jars
LV606096	Bubbler Autofill AF1-P2 Grey AFS-29-16	2 AF Lids, 1 Jack Power Cable, 1 AC Power Supply 12V, 2 water regulators, 4/4" fitting threads, 2 pressure gauges, 4@3/8" elbow coupling connectors
LV606323	Bubbler Autofill, No AC Power Converter Plug, Inc. 12 VAC Jumper Cable	2 AF Lids, 2 Jack Power Cable, 2 water regulators, 4@1/4" fitting threads, 2 pressure gauges, 4@3/8" elbow coupling connectors
LV0GMK5H	Autofill-Y-Split Accessory for Cleaning	1 water regulator, 2@1/4" fitting threads, 3/8" tubing, 1 pressure gauge, 2@3/8" elbow coupling connectors
LV0GM1LC	Insulated Bowl Lid 9L	1 Cover, Compatible w/ Classic Pro Models SR-2E-16 and SR-4E-16
LV0GMK9G	Insulated Bowl Lid 18L	1 Cover, Compatible w/ Classic Pro Models SR-15-16, SR-25-16 and SR-35-16
LV0GMHHV	Heavy Duty Dispenser Cap	1 Cap

PM KITS

PRODUCT CODE	ITEM	DESCRIPTION
LV0GMLBH	Bubbler PM Kit - SR-2E-16	1 Kit
LV0GMLBI	Bubbler PM Kit - SR-4E-16	1 Kit
LV0GMLBJ	Bubbler PM Kit - SR-15-16	1 Kit
LV0GMLBK	Bubbler PM Kit - SR-25-16	1 Kit
LV0GMLBL	Bubbler PM Kit - SR-35-16	1 Kit

PREMIX

Crathco® Classic Bubblers®

Crathco Clearly Clean Kit

Use fewer products and less water while saving cleaning time with the only manufacturer-recommended, NSF-approved cleaning system for your Crathco Bubblers, including Crathco Simplicity, Crathco Classic, and Crathco Classic Pro. You can clean your equipment easily without disassembly between regular required cleaning and sanitizing as detailed in the operator manual. Keep your bowls clean and clear to properly display your product.



(LV9R0195)

2/4 lb. Stera-Sheen Green Label Jars

CLEARLY CLEAN KIT: (LV9R0200)

- ONE MULTI-PURPOSE BRUSH
- ONE 2-1/2 GAL. SHAKER JUG
- LAMINATED INSTRUCTION SHEET
- 4 OZ. STERA-SHEEN LUBE TUBE
- TEST STRIPS



COLD BEVERAGE DISPENSERS

CRATHCO









PREMIX Simplicity® Bubblers®

Less Equals More

Simplicity pre-mix dispensers are the first machines that are proud to offer less. Less counter space with their compact size. Less time and effort in cleaning and disassembly. Less wear and power usage. Less waste, with product dispensed to the last drop. Less worry with fewer removable parts. And, less maintenance, which gives you more.

- Pre-mix dispenser with stainless steel base and clear plastic easy-clean bowls.
- Unique to Simplicity more efficient bottom-to-back air circulation. Efficient cooling uses less energy and saves money.
- Interchangeable bowl configurations
- Heavy product Dispense Valve standard on Simplicity, perfect for lemonades and horchatas.
- Easy-off bowl release system for faster and easier assembly and disassembly.
- Design enables machine to dispense product until the very last drop.
- Locking lids standard in order to ensure product safety and quality.
- Fewer removable parts to simplify cleaning and reduce maintenance.
- Includes removable drip tray.
- 9" cup clearance for a variety of drinks.
- Temperature range from 35 - 41°F.
- R290 refrigerant
- BPA-Free Bowl options available.
- NEMA - 5-15 Plug



MODEL		DESCRIPTION	PRODUCT DIMENSIONS (h x w x d)
	MINI-TWIN® MODELS Planned Maintenance Kit Six Month Schedule LV0GM1E7	CS-2E-16 Base: LV606589 Standard Bowl Set: LV606607 BPA-Free Bowl Set: LV606609	(2) 2.4 gallon bowls 27.5" x 10.5" x 18.5" Height includes 4" legs
	MINI-QUAD® MODELS Planned Maintenance Kit Six Month Schedule LV0GM1E9	CS-4E-16 Base: LV606590 Standard Bowl Set: LV606611 BPA-Free Bowl Set: LV606614	(4) 2.4 gallon bowls 27.5" x 20.5" x 18.5" Height includes 4" legs
	SINGLE STANDARD BOWL MODELS Planned Maintenance Kit Six Month Schedule LV0GM1FD	CS-1D-16 Base: LV606589 Standard Bowl Set: LV606608 BPA-Free Bowl Set: LV606610	(1) 4.75 gallon bowl 27.5" x 10.5" x 18.5" Height includes 4" legs
	TWIN STANDARD BOWL MODELS Planned Maintenance Kit Six Month Schedule LV0GM1FF	CS-2D-16 Base: LV606590 Standard Bowl Set: LV606612 BPA-Free Bowl Set: LV606615	(2) 4.75 gallon bowls 27.5" x 20.5" x 18.5" Height includes 4" legs
	TRIPLE TALL BOWL MODELS Planned Maintenance Kit Six Month Schedule LV0GM1FB	CS-3L-16 Base: LV606591 Standard Bowl Set: LV606617 BPA-Free Bowl Set: LV606618	(3) 4.75 gallon bowls 31.3" x 20.4" x 18.5" Height includes 4" legs
	TRIPLE COMBO BOWL MODELS Planned Maintenance Kit Six Month Schedule LV0GM1FH	CS-3D-16 Base: LV606590 Standard Bowl Set: LV606613 BPA-Free Bowl Set: LV606616	(1) 4.75 gallon bowl (2) 2.4 gallon bowls 27.5" x 20.5" x 18.5" Height includes 4" legs

OPTIONS & ACCESSORIES

PRODUCT CODE	MODEL	DESCRIPTION
LV9R0200	COLD AND FROZEN CLEARLY CLEAN KIT	1 multipurpose brush, 1 2-1/2 Gal Shaker Jug, Laminated Instruction Sheet, Stera-Sheen Lube Tube, Test Strips
LV9R0195	STERA-SHEEN	2 @ 4lb. Jars
LV606096	Bubbler Autofill AF1-P2 Grey AFS-29-16	2 AF Lids, 1 Jack Power Cable, 1 AC Power Supply 12V, 2 water regulators, 4@1/4" fitting threads, 2 pressure gauges, 4@3/8" elbow coupling connectors
LV606323	Bubbler Autofill, No AC Power Converter Plug, Inc. 12 VAC Jumper Cable	2 AF Lids, 2 Jack Power Cable, 2 water regulators, 4@1/4" fitting threads, 2 pressure gauges, 4@3/8" elbow coupling connectors
LV0GMK5H	Autofill-Y-Split Accessory	1 water regulator, 2@1/4" fitting threads, 3/8" tubing, 1 pressure gauge, 2@3/8" elbow coupling connectors
LV0GM1HA	Simplicity Legs 2" Adjustable with Rubber Pads	Each

PM KITS

PRODUCT CODE	ITEM	DESCRIPTION
LV0GM1E7	Bubbler PM Kit - CS-2E-16 Mini-Twin Bowls	1 Kit
LV0GM1E9	Bubbler PM Kit - CS-4E-16 Mini-Quad Bowls	1 Kit
LV0GM1FD	Bubbler PM Kit - CS-1D-16 Standard Single 5-Gal Bowl	1 Kit
LV0GM1FF	Bubbler PM Kit - CS-2D-16 Twin 5-Gal Bowls	1 Kit
LV0GM1FB	Bubbler PM Kit - CS-3D-16 Triple Combo Bowls	1 Kit
LV0GM1FH	Bubbler PM Kit - CS-3L-16 Triple Tall Bowls	1 Kit

PREMIX

Simplicity® Bubbliers®

Crathco Clearly Clean Kit

Use fewer products and less water while saving cleaning time with the only manufacturer-recommended, NSF-approved cleaning system for your Crathco Bubbliers, including Crathco Simplicity, Crathco Classic, and Crathco Classic Pro. You can clean your equipment easily without disassembly between regular required cleaning and sanitizing as detailed in the operator manual. Keep your bowls clean and clear to properly display your product.



2/4 lb. Stera-Sheen Green Label Jars (LV9R0195)

CLEARLY CLEAN KIT: (LV9R0200)

- ONE MULTI-PURPOSE BRUSH
- ONE 2-1/2 GAL. SHAKER JUG
- LAMINATED INSTRUCTION SHEET
- 4 OZ. STERA-SHEEN LUBE TUBE
- TEST STRIPS



FROZEN GRANITA, SLUSH & SHAKE DISPENSERS

CRATHCO

I-PRO Frozen Granita Dispensers

Introducing the most advanced professional slush, sorbet, milkshake and granita machine in the world. Perfect for cocktails and mocktails. Even safe for milk!




High performance, ultramodern design, and user-friendly. Insulating technology increases cooling power, saves energy and money, and reduces external condensation. Choose from either (2) or (3) 2.9 gallon insulated bowls with either mechanical or electronic control board and timer, optional *UV lights for sanitation, and light panel. Perfect solution for restaurants, coffee shops, bars, amusement parks, convenience stores, kiosks, and much more.



- All models are certified NSF-6 safe for milk.
- Transparent bowl encourages impulse purchasing.
- Programmable freeze and defrost mode.
- Efficient safety mechanism is activated when cover is lifted. All moving parts automatically and immediately stop.
- Lockable lid.
- Adjustable product consistency for each bowl.
- Black finish.
- Commercial grade parts ensure a long life in heavy-usage locations
- R449A Refrigeration
- NEMA - 5-15 Plug

I-PRO 2 Frozen Granita Dispensers



MODEL	DESCRIPTION	PRODUCT DIMENSIONS (h x w x d)
 I-PRO 2M with light panel LV563120 Planned Maintenance Kit 6 Mo. Schedule -LVOSP594	(2) 2.9 gallon insulated bowls, Mechanical control and timer, light panel, black finish	36" x 17" x 23" (92 cm x 44 cm x 58 cm)
 I-PRO 2E with light panel LV563121 Planned Maintenance Kit 6 Mo. Schedule - LVOSP594	(2) 2.9 gallon insulated bowls, Electronic control and timer, lighted panel, light panel, black finish	36" x 17" x 23" (92 cm x 44 cm x 58 cm)
 Autofill I-PRO AFI-P2-16, Black LV600697	2 Bottom Covers, 2 Top Covers, 1 Jack Power Cable, 1 AC Power Supply 12V, 2 water regulators, 4@1/4" fitting threads, 2 pressure gauges, 4@3/8" elbow coupling connectors	10.6" x 7.4" x 15.8"* (27 cm x 19 cm x 40 cm)

Options & Accessories

PRODUCT CODE	ITEM	DESCRIPTION
LV0GMK5H	Autofill Y-Split Accessory	2@1/4" fitting threads, 3/8" tubing, 1 pressure gauge, 2@3/8" elbow coupling connectors
LVOSP594	Frozen PM Kit - I-PRO 2 Models	6 months and 12 months
LVOSP200	Crathco Cold & Frozen Cleaning Kit	1 multi-purpose brush, 1, 2-1/2 Gal Shaker Jug, Laminated Instruction Sheet, Stera-Sheen Lube Tube, Test Strips
LVOSP195	STERA-SHEEN	2 @ 4lb Jars

* Not a stocked item, made to order.

Repairable machine with available replacement parts

Note: Mixture must maintain a sugar content between 12-14% Brix; a lower concentration could seriously damage the mixing parts and gear.

FROZEN GRANITA, SLUSH & SHAKE DISPENSERS

CRATHCO

I-PRO Frozen Granita Dispensers




Introducing the most advanced professional slush, sorbet, granita and milkshake machine in the world. Perfect for cocktails and mocktails. Ever for milk!

High performance, ultramodern design, and user-friendly. Insulating technology increases cooling power, saves energy and money, and reduces external condensat. Choose from either (2) or (3) 2.9 gallon insulated bowls with either mechanical or electronic control board and timer, optional *UV lights for sanitation, and light pane. Perfect solution for restaurants, coffee shops, bars, amusement parks, convenience stores, kiosks, and much more.

- All models are certified NSF-6 safe for milk.
- Transparent bowl encourages impulse purchasing.
- Programmable freeze and defrost mode.
- Efficient safety mechanism is activated when cover is lifted. All moving automatically and immediately stop.
- Lockable lid.
- Adjustable product consistency for each bowl.
- Black finish.
- Commercial grade parts ensure a long life in heavy-usage locations.
- NOTE, all units will have R290 Refrigeration this year
- I-PRO 3M: NEMA - 5-20 Plug
- I-PRO 3E: NEMA - 5-15 Plug



I-PRO 3 Frozen Granita Dispensers

MODEL	DESCRIPTION	PRODUCT DIMENSIONS (h x w x d)
 <p>I-PRO 3M with light panel LV563122 Planned Maintenance Kit 6 Mo. Schedule - LV0SP598</p>	(3) 2.9 gallon insulated bowls, Mechanical control and timer, lighted panel, light panel, black finish	34" x 24" x 23" (87 cm x 60 cm x 58 cm)
 <p>I-PRO 3E with light panel LV563123 Planned Maintenance Kit 6 Mo. Schedule - LV0SP598</p>	(2) 2.9 gallon insulated bowls, Electronic control and timer, light panel, black finish	34" x 24" x 23" (87 cm x 60 cm x 58 cm)
 <p>Autofill I-PRO AFI-P3-16, Black LV606106</p>	3 Bottom Covers, 3 Top Covers, 2 Jack Power Cables, 1 AC Power Supply 12V, 3 water regulators, 6@1/4" fitting threads, 3 pressure gauges, 6@3/8" elbow coupling connectors	10.6" x 7.4" x 15.8"* (27 cm x 19 cm x 40 cm)

Options & Accessories

PRODUCT CODE	ITEM	DESCRIPTION
LV0GMK5H	Autofill Y-Split Accessory	2@1/4" fitting threads, 3/8" tubing, 1 pressure gauge, 2@3/8" elbow coupling connectors
LV0SP598	Frozen PM Kit - I-PRO 3 Models	6 months and 12 months
LV0SP200	Crathco Cold & Frozen Cleaning Kit	1 multi-purpose brush, 1, 2-1/2 Gal Shaker Jug, Laminated Instruction Sheet, Stera-Sheen Lube Tube, Test Strips
LV0SP195	STERA-SHEEN	2 @ 4lb Jars

* Not a stocked item, made to order.

Repairable machine with available replacement parts

Note: Mixture must maintain a sugar content between 12-14% Brix; a lower concentration could seriously damage the mixing parts and gear.

FROZEN GRANITA, SLUSH & SHAKE DISPENSERS

CRATHCO



Frosty Frozen Granita Dispensers

Ideal for Indoor or Outdoor Use. Perfect for cocktails and mocktails.

Frosty Frozen Dispensers are the go-to model when you want large-sized, high-performance equipment, without a high investment. Slushes, sherbets, and other frozen treats are created with a double mixing system that prevents ice accumulation, for optimum product consistency that is also adjustable. The black and stainless steel finishes and illuminated lid encourage impulse purchasing.

- Efficient safety mechanism is activated when cover is lifted. All moving parts automatically and immediately stop.
- All models are certified NSF-6 safe for milk.
- LED illumination system.
- Manual control keypad.
- R449A Refrigeration
- Frosty 2: NEMA - 5-15 Plug
- Frosty 3: NEMA - 5-20 Plug



MODEL	DESCRIPTION	PRODUCT DIMENSIONS (h x w x d)
 Frosty 2 LV560515 Planned Maintenance Kit 6 Mo. Schedule LV0SPBS9	(2) 3.2 gallon tanks, 6.3 gallon total capacity	32.5" x 15.8" x 21.9"
 Frosty 3 LV560517 Planned Maintenance Kit 6 Mo. Schedule LV0SPC90	(3) 3.2 gallon tanks, 9.5 gallon total capacity	32.5" x 23.6" x 21.9"

Options & Accessories

PRODUCT CODE	ITEM	DESCRIPTION
LV0SPBS9	Frosty 2 PM Kit	6 months and 12 months
LV0SPC90	Frosty 3 PM Kit	6 months and 12 months
LV0SP200	Crathco Cold & Frozen Cleaning Kit	1 multi-purpose brush, 1, 2-1/2 Gal Shaker Jug, Laminated Instruction Sheet, Stera-Sheen Lube Tube, Test Strips
LV0SP195	STERA-SHEEN	2 @ 4lb Jars

Note: Operate at room temperature between 75 - 90° F.

Note: Mixture must maintain a sugar content between 12-14% Brix; a lower concentration could seriously damage the mixing parts and gear motors.

BARREL FREEZERS

CRATHCO




CR2500 Series Crathco® Barrel Freezers

High-Volume, High-Demand. Perfect for cocktails and mocktails.

You won't come across another slush machine that is so user-friendly! Provides continuous, rapid production, thanks to its gravity-feed system.

- Serves a variety of frozen smoothies, frozen cappuccinos or lattes, granitas, frozen fruit juices, frozen lemonades, Margaritas and other frozen cocktails.
- High productivity: serves up to 15.8 gallons in one hour (Model CR2511HC).
- Large cylinder and high cooling capacity allow unit to dispense a large number of cups.
- Energy efficiency and low consumption.
- Mix low indicator light enables users to refill product before it empties.
- Eye catching back-lit sign draws customers' attention.
- Heavy duty components ensure machine longevity.
- Refrigerated product reservoir continually replenishes frozen product in barrel.
- Reliable consistency control dispenses perfect product under all operating conditions.
- R449A Refrigeration
- CR2501/CR2502: NEMA - 5-20 Plug
- CR2511HC: NEMA - 6-20 Plug



MODEL	DESCRIPTION	PRODUCT DIMENSIONS (h x w x d)
 <p>CR2501 LV563101 Planned Maintenance Kit 6 Mo. Schedule LV9R0200</p>	Barrel freezer, 8.4 qt freezing cylinder, 10 qt hopper, 9 gallons/hour output capacity, single dispenser 115V/1ph/60hz	31" x 14" x 28"
 <p>CR2502 LV563102 Planned Maintenance Kit 6 Mo. Schedule LV9R0200</p>	Barrel freezer, 2@8.4 qt freezing cylinder, 2@10 qt hopper, 2@6.6 gallons/hour output capacity, double dispenser 115V/1ph/60hz	33.75" x 21.25" x 28"
 <p>CR2511HC LV563111 Planned Maintenance Kit 6 Mo. Schedule LV9R0200</p>	Barrel freezer, 8.4 qt freezing cylinder, 21 qt hopper, 15.8 gallons/hour output capacity, single dispenser 208V/1ph/60hz	33.4" x 21.25" x 28"

Options & Accessories

PRODUCT CODE	ITEM	DESCRIPTION
LVOSP596	CR2501 PM Kit	6 months and 12 months
LVOSPPE7	CR2502 PM Kit	6 months and 12 months
LVOSP596	CR2511HC PM Kit	6 months and 12 months
LVOSP200	Crathco Cold & Frozen Cleaning Kit	1 multi-purpose brush, 1, 2-1/2 Gal Shaker Jug, Laminated Instruction Sheet, Stera-Sheen Lube Tube, Test Strips
LVOSP195	STERA-SHEEN	2 @ 4lb Jars

Note: Operate at room temperature between 75 - 90° F.

Note: Mixture must maintain a sugar content between 12-14% Brix; a lower concentration could seriously damage the mixing parts and gear motors.

ORDERING INFORMATION

ELECTROLUX PROFESSIONAL, INC., TERMS AND CONDITIONS APPLICABLE TO ALL ELECTROLUX PROFESSIONAL, INC. CUSTOMERS

FOLLOWING ARE THE TERMS AND CONDITIONS WHICH APPLY TO ALL YOUR PURCHASES FROM ELECTROLUX PROFESSIONAL, INC. (ELECTROLUX PROFESSIONAL). PLACEMENT OF ANY PURCHASE ORDER CONSTITUTES YOUR ACCEPTANCE OF THESE TERMS AND CONDITIONS (AS IN EFFECT NOW AND AS THEY MAY BE CHANGED BY US FROM TIME TO TIME IN THE FUTURE).

1. PURCHASE PRICE AND PAYMENT OBLIGATIONS

(A) PURCHASE PRICE THE PURCHASE PRICE FOR AND SPECIFICATIONS RELATING TO ALL ORDERS ARE SUBJECT TO CHANGE WITHOUT NOTICE TO CONFORM TO THE PRICES AND SPECIFICATIONS IN EFFECT ON THE DATE OF SHIPMENT OF YOUR ORDER. ALL PRICES ARE F.O.B. THE ELECTROLUX PROFESSIONAL FACILITY (CURRENTLY WEIDMAN, MICHIGAN, VICKSBURG, MISSISSIPPI, OR LOUISVILLE, KENTUCKY, U.S.A.) UNLESS OTHERWISE APPROVED IN WRITING BY ELECTROLUX PROFESSIONAL AND INCLUDE ONLY CRATING FOR DOMESTIC SHIPPING. EXTRA CHARGES WILL BE ADDED FOR SPECIAL OR EXPORT CRATING. ALL SHIPPING WEIGHTS DESCRIBED IN OUR CATALOGS AND ELSEWHERE ARE APPROXIMATE AND SHIPPING CHARGES MAY VARY. OUR BASE PRICES DO NOT INCLUDE ANY SALES EXCISE USE OR OTHER TAXES APPLICABLE TO YOUR PURCHASES, WHETHER NOW OR HEREAFTER IN EFFECT - AND YOU ARE RESPONSIBLE FOR PAYING ALL SUCH TAXES. ALL SHIPMENT WILL BE MADE AT YOUR EXPENSE ON A COLLECT BASIS UNLESS WE OTHERWISE AGREE IN OUR WRITTEN ACCEPTANCE OF YOUR ORDER.

(B) INVOICES AND PAYMENT OBLIGATIONS YOU WILL BE SENT AN INVOICE FOR THE FULL COST (PURCHASE PRICE AND ALL APPLICABLE CHARGES) OF EACH ORDER OF STANDARD EQUIPMENT AND/OR PARTS AT THE TIME IT IS SHIPPED TO YOU, AND YOU MUST PAY THE FULL AMOUNT OF THAT INVOICE NO LATER THAN 30 DAYS AFTER THE DATE OF THE INVOICE, UNLESS OTHERWISE APPROVED BY ELECTROLUX PROFESSIONAL. (PLEASE NOTE THAT LONG LEAD ITEMS AND ITEMS BUILT TO THE CUSTOMER'S SPECIFICATIONS HAVE DIFFERENT PAYMENT REQUIREMENTS AND MAY BE INVOICED IN A DIFFERENT MANNER, BUT PAYMENT IS STILL REQUIRED WITHIN 30 DAYS OF EACH INVOICE DATE UNLESS OTHERWISE APPROVED BY ELECTROLUX PROFESSIONAL). IF YOU FAIL TO PAY ANY INVOICE BY ITS DUE DATE, WE RESERVE THE RIGHT TO CHARGE YOU LATE CHARGES ON THE AMOUNT UNPAID FROM THE ISSUANCE DATE OF THE INVOICE AT A RATE EQUAL TO 1.5% PER MONTH.

WE ALSO RESERVE THE RIGHT TO STOP, LIMIT OR DISCONTINUE FILLING ANY OR ALL OF YOUR ORDERS OR MAKING ANY OR ALL SHIPMENTS OF EQUIPMENT AND/OR PARTS TO YOU (WHETHER OR NOT ORDERS WITH RESPECT THERETO HAVE BEEN ACCEPTED BY

US) IF ANY OF THE FOLLOWING OCCUR:

(I) YOU FAIL TO PAY ANY INVOICE WHEN DUE; OR

(II) YOU BECOME OR ARE INSOLVENT, ADMIT YOUR INABILITY TO PAY YOUR BILLS WHEN DUE, BEGIN ANY BANKRUPTCY PROCEEDINGS OR ANY BANKRUPTCY PROCEEDING IS BEGUN AGAINST YOU; OR

(III) ANY PROCEEDING OR ACTION WHICH COULD MATERIALLY AFFECT YOUR BUSINESS IS BEGUN AGAINST YOU; OR

(IV) ELECTROLUX PROFESSIONAL FOR ANY REASON, IN ITS SOLE JUDGMENT, DECIDES THAT IT IS UNWILLING OR UNCOMFORTABLE ABOUT EXTENDING YOU CREDIT AND YOU ARE UNABLE TO PAY FOR YOUR ORDERS IN ADVANCE OR

PROVIDE SUFFICIENT SECURITY FOR SUCH ORDERS.

(C) COLLECTION, REPOSSESSION AND COSTS OF COLLECTION IF ANY OF THE EVENTS LISTED IN PARAGRAPH 1(B) ABOVE OCCUR, ELECTROLUX PROFESSIONAL MAY, AT ITS OPTION, TAKE ANY LEGAL ACTION AGAINST YOU IT DEEMS NECESSARY

OR APPROPRIATE TO COLLECT THE AMOUNTS OF ANY INVOICES THEN OUTSTANDING AND UNPAID AND THE AMOUNTS YOU OWE FOR WHICH INVOICES HAVE NOT YET BEEN SENT. IN ADDITION, BY VIRTUE OF PLACING A PURCHASE ORDER WITH ELECTROLUX

PROFESSIONAL YOU ALSO THEREBY GRANT TO ELECTROLUX PROFESSIONAL, A PURCHASE MONEY SECURITY INTEREST IN AND TO THE EQUIPMENT, PARTS AND/OR OTHER GOODS COVERED BY SUCH PURCHASE ORDER, AND ELECTROLUX

PROFESSIONAL MAY FORECLOSE SUCH SECURITY INTEREST AND MAY ALSO TAKE ANY STEPS NECESSARY OR APPROPRIATE TO REPOSSESS ANY EQUIPMENT, PARTS AND/OR OTHER GOODS WHICH HAVE BEEN SHIPPED TO YOU BY ELECTROLUX

PROFESSIONAL, AND ELECTROLUX PROFESSIONAL MAY EXERCISE ALL OTHER AVAILABLE RIGHTS AND REMEDIES UNDER THE MISSISSIPPI UNIFORM COMMERCIAL CODE AND OTHER APPLICABLE LAW. YOU ARE RESPONSIBLE FOR THE FULL

COSTS OF ANY SUCH COLLECTION OR REPOSSESSION EFFORTS, INCLUDING LEGAL FEES, THIRD PARTY COLLECTION FEES AND OTHER EXPENSES IN CONNECTION THEREWITH. YOU AGREE THAT YOU MUST PAY ELECTROLUX PROFESSIONAL ALL SUCH FEES

AND EXPENSES IMMEDIATELY UPON ELECTROLUX PROFESSIONAL' DEMAND THEREFORE. IN THE EVENT THAT LEGAL ACTION IS TAKEN FOR COLLECTION OF ANY DEBT OWED BY YOU TO ELECTROLUX PROFESSIONAL, PLACE OF VENUE SHALL

BE HINDS COUNTY, MISSISSIPPI, AND ALL ORDERS AND PURCHASES FROM ELECTROLUX PROFESSIONAL SHALL BE GOVERNED BY MISSISSIPPI LAW AND SUCH VENUE AND GOVERNING LAW ARE AGREED TO AS PART OF ELECTRO-

LUX PROFESSIONAL' EXTENSION OF CREDIT TO YOU OR YOUR PLACEMENT OF AN ORDER WITH ELECTROLUX PROFESSIONAL (UNLESS OTHERWISE APPROVED IN WRITING BY ELECTROLUX PROFESSIONAL)

SERVICE PRODUCT PROCESSES



Warranty Related Requests

Technical Support and Warranty Service Dispatching: 800-695-4500 Option 1, then 3 (Available 8AM–5PM EST, M-F) Serial number as well as End User Contact Information are required to request warranty service.

Online Warranty Status Lookup is available via Technical Support

For Warranty Service: contact Technical Support or contact your local Authorized Service Agent.

Online Warranty Verification:



Technical Inquiries and After-Hours Support

Technical Support: 800-695-4500 Option 1, then 3 (5pm-8pm EST, M-F)

After-Hours Support: 800-695-4500 Option 1, then 3 (5PM-8PM EST, M-F, 8AM-5PM-Weekends).

After-Hours support is available for customer diagnosing and service agent support only. Parts and service dispatch are unavailable during After-Hours support

Parts Identification & Related Inquiries:

Call for Parts Inquiry: 800-695-4500 Option 1, then 3 (8AM–5PM EST, M-F)

Parts Inquiry:



Shipping Damages & Related Inquiries

Parts Inquiry: 800-695-4500 Option 2 (8AM–5PM EST, M-F)

Customer Service Email: csmailbox@electroluxprofessional.com

Spare Parts Orders - Parts Town

Partstown: www.partstown.com

Parts Town Phone Numnber: 800-438-8898

PLANNED MAINTENANCE

Requirements & Frequencies

Category 1:

Six Month Planned Maintenance Schedule

Series	Model	Planned Maintenance Kit Part Number
Cold Beverage Dispensers		
Simplicity Bubbler Mini Twin	CS-2E-16	LV0GM1E7
Simplicity Bubbler Mini Quad	CS-4E-16	LV0GM1E9
Simplicity Bubbler Single Standard	CS-1D-16	LV0GM1FD
Simplicity Bubbler Twin Standard	CS-2D-16	LV0GM1FF
Simplicity Bubbler Triple Tall	CS-3L-16	LV0GM1FB
Simplicity Bubbler Triple Tall	CS-3D-3L	LV0GM1FH
Classic Bubbler Standard	D15-3	LV0GM23J
Classic Bubbler Standard	D15-4	LV0GM23J
Classic Bubbler Standard	D25-3	LV0GM23L
Classic Bubbler Standard	D25-4	LV0GM23L
Classic Bubbler Standard	D35-3	LV0GM23R
Classic Bubbler Standard	D35-4	LV0GM23R
Classic Bubbler Mini-Twin	E29-3	LV0GM23P
Classic Bubbler Mini-Twin	E29-4	LV0GM23P
Classic Bubbler Mini-Quad	E49-3	LV0GM23S
Classic Bubbler Mini-Quad	E49-4	LV0GM23S
Classic Pro Bubbler Mini Twin	SR-2E-16	LV0GMLBH
Classic Pro Bubbler Mini Twin	SR-4E-16	LV0GMLBI
Classic Pro Bubbler Single Standard	SR-15-16	LV0GMLBJ
Classic Pro Bubbler Single Standard	SR-25-16	LV0GMLBK
Classic Pro Bubbler Single Standard	SR-35-16	LV0GMLBL

PLANNED MAINTENANCE

Requirements & Frequencies

Category 2:

Six Month Planned Maintenance Schedule. Update Parts on Wear-and-Tear Basis

Series	Model	Planned Maintenance Kit Part Number
Frozen Granita, Slush & Shake Dispensers		
I-PRO 2M	I-PRO 2M with Light Panel	LV0SP594
I-PRO 2E	I-PRO 2E with Light Panel	LV0SP594
I-PRO 3M	I-PRO 3M with Light Panel	LV0SP598
I-PRO 3E	I-PRO 3E with Light Panel	LV0SP598
Frosty	Frosty 2	LV0SPBS9
Frosty	Frosty 3	LV0SPC90
Barrel Freezer	CR2501	LV0SP596
Barrel Freezer	CR2502	LV0SPPE7
Barrel Freezer	CR2511	LV0SP596

crathco.com

88 Armory Road
Vicksburg, MS 39183 USA
800.695.4500

Part of  Electrolux
Professional
Group